





### DESTRUCTIVE TEST REPORT

Batch No.	2019120302	Description	Swivel self lock hook
Size	7/8-8	Material	Alloy Steel
Date	2019-12-03	Area (mm <sup>2</sup> )	/
Primary Scale (mm)	50.0	Testing Temperature (°C)	20
Inspector	J.S.	Final Scale Distance (mm)	/
Max force (KN)	101.6	Tensile Strength (MPa)	/
Conclusion	<b>QUALIFIED</b>		






# TW PRODUCTS

## DESTRUCTIVE TEST REPORT

Batch No.	2019120502	Description	Swivel self locking hk
Size	13-8	Material	Alloy Steel
Date	2019-12-05	Area (mm <sup>2</sup> )	/
Primary Scale (mm)	--	Testing Temperature (°C)	20
Inspector	J.S.	Final Scale Distance (mm)	/
Max force (KN)	236.2	Tensile Strength (MPa)	/
Conclusion	<b>QUALIFIED</b>		




Pre-Testing	Testing	Post-Testing



**TW PRODUCTS**

### DESTRUCTIVE TEST REPORT

Batch No.	2019120301	Description	Swivel self lock hook
Size	5/8"	Material	Alloy Steel
Date	2019-12-03	Area (mm <sup>2</sup> )	/
Primary Scale (mm)	50.0	Testing Temperature (°C)	20
Inspector	J.S.	Final Scale Distance (mm)	/
Max force (KN)	340.45	Tensile Strength (MPa)	/
Conclusion	<b>QUALIFIED</b>		





Pre-Testing	Testing	Post-Testing



### DESTRUCTIVE TEST REPORT

Batch No.	2019120505	Description	EYE SELF LOCKING HOOK
Size	7/8-8mm	Material	Alloy Steel
Date	2019-12-05	Area (mm <sup>2</sup> )	/
Primary Scale (mm)	--	Testing Temperature (°C)	20
Inspector	J.S.	Final Scale Distance (mm)	/
Max force (KN)	91.9	Tensile Strength (MPa)	/
Conclusion	<b>QUALIFIED</b>		





### DESTRUCTIVE TEST REPORT

Batch No.	2019120503	Description	322A Swivel hook
Size	11T	Material	Alloy Steel
Date	2019-12-05	Area (mm <sup>2</sup> )	/
Primary Scale (mm)	--	Testing Temperature (°C)	20
Inspector	J.S.	Final Scale Distance (mm)	/
Max force (KN)	550.2	Tensile Strength (MPa)	/
Conclusion	<b>QUALIFIED</b>		

